



Driver Team Tech Sheets

Driver _____ Car # _____

Engine Seal Tag #

Carb Stamps

Trailer and Pit Area

NO CHEMICALS OR SOAPS WILL BE ALLOWED AT THE TRACK TO CLEAN OR ALTER TIRE SURFACE

Item	Yes	No	Date
Fire Extinguisher			
Fuel safe Container			

Safety Gear

	Yes	No	Date
Helmet SA2015 or Newer			
Receiver			
Fire Suit one piece			
Arm Restraints			
Neck/ Hans/Hybrid/Brace			
Racing Shoes			
Race Gloves			

***** 16 and Under Must Wear Full Head Restraint ******

Car Tech

Body Panels in place and Secure YES NO

1. Hood
2. Floor Pan/ Belly Pan (Front Seat to Axle)
3. Side Panels
4. Tail Tank/ Number Tank
5. Nerf Bars/ Bumpers
6. Numbers on Hood/ Tail/ Upper Sail Panel 6" x 1" or larger

	Yes	NO	DATE
Motor Firewall			
Seat Mounted/ Secured			
Seat Belts in Date			
Steering & Suspension Lock Nuts/ Cotter Pins/ Safety Wire			
Brakes No Defects & Braided Steel Brake Lines			
Fuel Tank secure Fuel Shut off in driver reach			

Chain Guards			
Rock Guard			

*******Fuel Shutoff Must be Painted or Wrapped in a bright color for the entire Season Yellow/ Neon Green/ Pink/ Orange*******

****** ALL Cars Must run rear axle wheel pins ******

500 Spec Tires- ASCS2, KS1, POWRI, U6SA, NMMA, American GT Spec

*******All Cars must have an ignition so CDI can be turned off *******

TECH OFFICIAL SIGN _____

SERIES OWNER _____

DRIVER _____

- Only stock motors are allowed to be used in PA Micro Midget Series.
- Only stock carburetors
- No port or polishing of Carburetors, Intake port or exhaust ports
- If the motor is rebuilt, Pistons can be 20 thousand over and heads 5 thousand milled
- Open rule on gearing
- Pump Gas only can be used 87 through 93 octanes